



INSPECTION REPORT

9192 cust_id
271290 insp_id
9216 site_id

**UNIVERSITY OF CALIFORNIA,
DAVIS**

Customer ID: 9192

Certificate: 93-R-0433

Site: 001

UNIVERSITY OF CALIFORNIA,

ONE SHIELDS AVE
DAVIS, CA 95616

Inspection

Type: ROUTINE INSPECTION

Date: MAY-10-2006

3.130

WATERING.

§ 3.130 Watering. If potable water is not accessible to the animals at all times, it must be provided as often as necessary for the health and comfort of the animal. Frequency of watering shall consider age, species, condition, size, and type of the animal. All water receptacles shall be kept clean and sanitary.

The Llama enclosure: The black water container has a small amount dust, dirt, hay/straw on the surface. The sides and bottom of the water trough has a film of algae on it. The water containers need to be cleaned as often as needed to minimize the algae accumulation. Algae accumulation is an indication that other harmful microorganisms may be present. Potable water is necessary to provide an healthy environment for the animals.

TO BE CORRECTED BY: May 12, 2006

Location: 16, 12k, 11

Prepared By:

STEVEN DRILICA, V.M.O. , USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL OFFICER , Inspector ID: 5004

Date:

MAY-10-2006

Received By:

Date:

MAY-10-2006

Title:

MAY 18 2006