



INSPECTION REPORT

UNIVERSITY OF CALIFORNIA,
LOS ANGELES

Customer ID: 9194
Certificate: 93-R-0435

OFFICE OF THE CAMPUS VET - D L A M
924 WESTWOOD BLVD., SUITE 1050
LOS ANGELES, CA 90024

Site: 001
THE UNIVERSITY OF CALIFORNIA,
LOS ANGELES
Inspection
Type: ROUTINE INSPECTION
Date: SEP-19-2006

3.75 (c)(2)

HOUSING FACILITIES, GENERAL.

(2) Maintenance and replacement of surfaces. All surfaces must be maintained on a regular basis. Surfaces of housing facilities -- including houses, dens, and other furniture-type fixtures and objects within the facility -- that cannot be readily cleaned and sanitized, must be replaced when worn or soiled.

***Vervet room 1-V, 512: There is an approx. 5 x 3 inch area of exposed concrete flooring where the paint has peeled off. Food and other debris may collect in the unsealed flooring and it may be difficult to clean and sanitize as required by the Act. All surfaces must be maintained on a regular basis. Surfaces of housing facilities -- including houses, dens, and other furniture-type fixtures and objects within the facility -- that cannot be readily cleaned and sanitized, must be replaced when worn or soiled. ***

To be corrected by October 16, 2006

3.131 (c)

SANITATION.

(c) Housekeeping. Premises (buildings and grounds) shall be kept clean and in good repair in order to protect the animals from injury and to facilitate the prescribed husbandry practices set forth in this subpart.

*** Floor 8-V: The hallway floor in front of room 330 is moderately soiled and a small water puddle has formed as a result of water spilling from the travel kennels stored in the area. This area of the hallway appears to be a high traffic area and more frequent monitoring and cleaning may be needed to maintain compliance with the Act. ***

Corrected during inspection

*** Floor 8V room 116: There is a mild to moderate amount of paint peeling off the base boards of a few (3-5) pig enclosures. The underlying material is exposed and it can be difficult to clean and sanitize as required by the Act. Pigs can also come in contact with the peeling paint and be harmed. ***

To be corrected by: October 16, 2006

Premises (buildings and grounds) shall be kept clean and in good repair in order to protect the animals from injury and to facilitate the prescribed husbandry practices set forth in this subpart.

Prepared By:

ALEXANDRA ANDRICOS, V.M.O , USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL OFFICER , Inspector ID: 5038

Date:

SEP-19-2006

Received By:

Title:

Date:

SEP-20-2006